

# Nevrona

Vitamin B<sub>1</sub>, B<sub>6</sub> & B<sub>12</sub>

## Composition

Nevrona tablet: Each tablet contains Thiamine Mononitrate BP (100 mg), Pyridoxine Hydrochloride BP (200 mg), Cyanocobalamin BP (200 mcg).

## Pharmacology

Nevrona is a special preparation of vitamin B<sub>1</sub>, B<sub>6</sub> and B<sub>12</sub>. The vitamins B<sub>1</sub>, B<sub>6</sub> and B<sub>12</sub> are indispensable for a normal course of the nervous metabolism.

## Indication

Nevrona is indicated for the treatment of vitamin B<sub>1</sub>, B<sub>6</sub> and B<sub>12</sub> deficiency syndrome. It is also indicated in the treatment of:

- Diabetic neuropathy
- Peripheral neuralgia
- Lumbago
- Myalgia
- Optic Neuritis
- Sciatica
- Facial neuralgia
- Intercostal neuralgia
- Spinal pain

## Dose and Administration

*Route of administration: Oral*

Tablets may be administered in a dose of 1 to 3 tablets per day or as directed by the physician.

## Contraindications

Should not be used in the patients on Levodopa therapy and hypersensitivity to any of the active ingredients.

## Warning & Precautions

Cyanocobalamin should not be given before a diagnosis has been fully established because of the possibility of masking symptoms of subacute degeneration of the spinal cord. Cyanocobalamin is not a suitable form of Vitamin B<sub>12</sub> for the treatment of optic neuropathies associated with raised plasma concentrations of cyanocobalamin.

## Side Effects

*Common:* Generally well tolerated. However, a few allergic reactions may be seen.

*Rare:* Very rarely hypersensitive reaction and sensitivity disturbance may occur.

## Use in pregnancy & lactation

Oral tablet form is recommended but injectable preparation is not recommended due to presence of benzyl alcohol.

## Use in Children & Adolescents

No adequate data are available.

## Drug Interactions

*With Medicine:* Vitamin B<sub>6</sub> (Pyridoxine Hydrochloride) reduces therapeutic effect of Levodopa but it does not occur if a dopa decarboxylase inhibitor is also given. Neomycin, Chloramphenicol, Aminosallylic acid & H<sub>2</sub> receptor antagonist may reduce Vitamin B<sub>12</sub> absorption.

*With food & others:* No such interactions have been reported.

## Overdosage

If there is known overdose then treatment is symptomatic and supportive.

## Storage

Store below 30° C temperature and cool and dry place, away from light. Keep out of the reach of children.

## Packing

Nevrona Tablet: Each box/pot contains 30 tablets.